

Sheet 1 of 11





Sheet 2 of 11

Automated Mononuclear Cell RNA Isolation Device




FIG._2

Kits for Discovery of, or Application of Diagnostic Gene Sets

A. Contents of kit for discovery of diagnostic gene sets

- 1. Sterile, endotoxin and RNAse free blood collection tubes (>10cc capacity)
- 2. Alcohol swabs, tourniquet, 18g needle and syringe (>10cc capacity)
- 3. Erythrocyte lysis buffer
- 4. Leukocyte lysis buffer
- 5. Substrates for labeling of RNA (may vary for various expression profiling techniques)

For fluorescence cDNA microarray expression profiling:

Reverse transcriptase and 10x RT buffer

Poly-dT primer

DTT

Deoxynucleotides 100mM each

RNAse inhibitor

Cy3 and Cy5 labeled deoxynucleotides

- 6. cDNA microarrays containing candidate gene libraries
- 7. Cover slips for slides
- 8. hybridization chambers
- 9. Software package for identification of diagnostic gene set from data

Contains statistical methods.

Allows alteration in desired sensitivity and specificity of gene set.

Software facilitates access to and data analysis by centrally located database server

- 10. Password and account number to access central database server.
- 11. Kit User Manual

B. Contents of kit for application of diagnostic gene sets

- 1. Sterile, endotoxin and RNAse free blood collection tubes (>10cc capacity)
- 2. Alcohol swabs, tourniquet, 18g needle and syringe (>10cc capacity)
- 3. Erythrocyte lysis buffer
- 4. Leukocyte lysis buffer
- 5. Substrates for labeling of RNA (may vary for various expression profiling techniques)

For fluorescence cDNA microarray expression profiling:

Reverse transcriptase and 10x RT buffer

Poly-dT primer

DTT

Deoxynucleotides 100mM each

RNAse inhibitor

Cy3 and Cy5 labeled deoxynucleotides

- 6. cDNA microarrays containing diagnostic gene sets
- 7. cover slips for slides
- 8. hybridization chambers
- 9. Software package for identification of diagnostic gene set from data


Contains statistical methods.

Allows alteration in desired sensitivity and specificity of gene set.

Software facilitates access to and data analysis by centrally located database server

- 10. Password and account number to access central database server.
- 11. Kit User Manual

Sheet 4 of 11






FIG._5

Sheet 5 of 11




FIG._6





FIG._7

Sheet 6 of 11






FIG. 9

FIG._ 10A

Differential Gene Expression Between Grade 0 and 3A Samples:

| : | | | | | In A | vente pplic | or: Ja ation t No | ay W n No : 50 | OH! | | | | iling | | | | | | | - | -, | - | | | |
|-----------------------|--------------------------------|---|---|---|-----------|----------------|--|---|--|--|---|------------|----------|--|------------------------|--|--|--|--|---|---|---|---|---|---|
| | SR: Scaled Ratio (g / r) | 0.710038 | 1.318579 | 1.305545 | 0.444098 | 0.369371 | 0.960516 | 1.257707 | 0.376823 | 0.933154 | 0.459827 | 0.672539 | 2.004771 | 0.398574 | | | 0.670576 | 0.645231 | 0.6072 | 0.431139 | 0.421766 | 0.520889 | 0.514739 | 0.489034 | 0.420551 |
| Array 107742: Grade 0 | Cy3 / Cy5 Ratio | 0.188917 | 0.350829 | 0.347361 | 0.118159 | 0.098277 | 0.25556 | 0.334633 | 0.10026 | 0.24828 | 0.122344 | 0.17894 | 0.533401 | 0.106047 | | | 0.178417 | 0.171674 | 0.161555 | 0.114711 | 0.112218 | 0.138591 | 0.136955 | 0.130115 | 0.111894 |
| Array 1077 | F532 Median - B532 | 1050 | 635 | 487 | 92 | 405 | 3477 | 515 | 386 | 1119 | 167 | 486 | 5254 | 356 | | | 248 | 240 | 295 | 747 | 755 | 1188 | 2128 | 1558 | 778 |
| | F633 Median - B633 | 5558 | 1810 | 1402 | 804 | 4121 | 13488 | 1539 | 3850 | 4507 | 1365 | 2716 | 9820 | 3357 | | | 1390 | 1398 | 1826 | 6512 | 6728 | 8572 | 15538 | 11974 | 6953 |
| | Oligo ID | 2476 | 6025 | 6025 | 2407 | 2192 | 2283 | 6025 | 2192 | 3581 | 3729 | 2476 | 642 | 2192 | | | 4905 | 4905 | 4481 | 3761 | 3761 | 3790 | 3790 | 3791 | 3761 |
| Probe | Name | transcription factor 7 (T-cell specific, HMG- | major histocompatibility complex, class II, DQ beta 1 | major histocompatibility complex, class II, DQ beta 1 (HL | | | lymphotoxin beta (TNF superfamily, member 3) (LTB), tr | major histocompatibility complex, class II, DQ beta 1 (HL | CD69 antigen (p60, early T-cell activation antigen) (CD6 | far instream element (FUSE) binding protein 1 (FUBP1 | niclear receptor subfamily 4, group A, member 2 (NR4A | | | CD69 antigen (p60, early T-cell activation antigen) (CD6 | | | mBNA for immunoalobulin lambda heavy chain / cds=(65 | mBNA for immunoglobulin lambda heavy chain / cds=(65 | mBNA for immunoalobulin lambda heavy chain / cds=(65 | rearranged immunoglobulin lambda light chain mRNA / c | rearranged immunoplobulin lambda light chain mRNA / c | CONA FI.121321 fis. clone COL02335, highly similar to | CONA FI 121321 fis. clone COL02335, highly similar to | CONA FI 121321 fis. clone COL02335, highly similar to | rearranged immunoglobulin lambda light chain mRNA / c |
| | Acc# | NM 003202 | BE220959 | BE220959 | 226200 MN | NM 001781 | NM 002341 | RE220959 | NM 001781 | 1105040 | X14008 | NIM OCCUPA | AE035947 | NM 001781 | NAME OF TAXABLE PARTY. | | V14737 | V14737 | BC006402 | X57812 | X57810 | X79475 | X72475 | X72475 | X57812 |

Title: Leukocyte Expression Profiling Inventor: Jay WOHLGEMUTH Application No.: 10/006,290 Docket No: 506612000100 Sheet 9 of 11

| SRs | Grade 3A / 0 | 0.30955069 | 0.31800317 | 0.31910959 | 0.32068403 | 0.33311587 | 0.33989617 | 0.3471323 | 0.34746767 | 0.35289603 | 0.35389672 | 0.3566264 | 0.36278818 | 0.37028503 | | 4.68929496 | 4.73359863 | 4.95040579 | 5.37301111 | 5.48481867 | 5.50803866 | 5.61339689 | 5.65696646 | 5.71604612 |
|------------------------|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Ratio of SRs | Grade 0 / 3A | 3.23048873 | 3.14462275 | 3.13371968 | 3.11833431 | 3.00195843 | 2.94207495 | 2.88074602 | 2.87796556 | 2.83369583 | 2.82568319 | 2.80405488 | 2.75642938 | 2.70062225 | | 0.21325167 | 0.21125576 | 0.20200364 | 0.18611538 | 0.18232143 | 0.18155283 | 0.17814525 | 0.17677319 | 0.1749461 |
| А | SR: Scaled Ratio (q / r) | 0.219793 | 0.419312 | 0.416612 | 0.142415 | 0.123043 | 0.326476 | 0.436591 | 0.130934 | 0.329306 | 0.162731 | 0.239845 | 0.727307 | 0.147586 | | 3 144527 | 3.054262 | 3,005889 | 2.316513 | 2.313311 | 2,869076 | 2.889436 | 2 766449 | 2.403886 |
| Array 107739: Grade 3A | Cy3 / Cy5 Ratio | 0.061438 | 0.117209 | 0.116455 | 0.039809 | 0.034394 | 0.091259 | 0.122039 | 0.0366 | 0.09205 | 0.045488 | 0.067043 | 0.203302 | 0.041254 | | 0.878982 | 0.853751 | 0.840229 | 0.647529 | 0.646634 | 0.043064 | 0.807877 | 0.22200 | 0.671952 |
| Array 1077 | F532 Median - B532 | 358 | 252 | 247 | 75 | 254 | 2727 | 237 | 282 | 220 | 434 | 356 | 197 | 246 | | 7272 | 5107 | 2408 | 17730 | 10626 | 10000 | 14045 | 10764 | 18560 |
| | F633 Median - B633 | 5827 | 2150 | 2121 | 1884 | 7385 | 29882 | 1942 | 7705 | 2390 | 9541 | 5310 | 696 | 5963 | | | 930 | 7 108 | 2304 | 27.30 | 72007 | 17.322 | 200 | 24261 |

Title: Leukocyte Expression Profiling Inventor: Jay WOHLGEMUTH Application No.: 10/006,290 Docket No: 506612000100 Sheet 10 of 11

FIG._ 10C

itle; Leukocyte Expression Profiling Inventor: Jay WOHLGEMUTH Application No.: 10/006,290 Docket No: 506612000100 Sheet 11 of 11

| 5.95900079 | 5.9816215 | 5.98789603 | 6.4924922 | 6.59109804 | 6.86979225 | 7.01342553 | 7.24745312 | 7.96186351 | 8.0748531 | 8.09993947 | 8.21727973 | 8.2606647 | 9.11364747 | 9.55378803 | 10.2010527 | 11.4716196 |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 0.16781337 | 0.16717875 | 0.16700357 | 0.15402406 | 0.15171979 | 0.14556481 | 0.14258368 | 0.13797951 | 0.12559874 | 0.12384126 | 0.12345771 | 0.12169477 | 0.12105563 | 0.10972555 | 0.10467052 | 0.0980291 | 0.08717165 |
| 2.924735 | 2.904673 | 2.060585 | 3.064488 | 2.288826 | 2.170163 | 2.391889 | 2.45286 | 2.532931 | 2.874145 | 2.801184 | 3.035218 | 2.781837 | 2.838319 | 2.909599 | 3.180333 | 3,128181 |
| 0.817544 | 0.811936 | 0.57599 | 0.856609 | 0.63979 | 0.60662 | 0.668599 | 0.685642 | 0.708024 | 0.803403 | 0.783008 | 0.848427 | 0.7776 | 0.793388 | 0.813313 | 0.888991 | 0.874413 |
| 14334 | 13863 | 21610 | 18561 | 19369 | 21936 | 4037 | 2975 | 3909 | 1275 | 682 | 890 | 486 | 1344 | 18694 | 12597 | 14148 |
| 17533 | 17074 | 37518 | 21668 | 30274 | 36161 | 6038 | 4339 | 5521 | 1587 | 871 | 1049 | 625 | 1694 | 22985 | 14170 | 16180 |

FIG._ 10D

| FIG 10B | FIG. 10D |
|---------|----------|
| FIG10A | FIG10C |
| | 10 |